

Selection 2026



noken
PORCELANOSA BATHROOMS

MorethanWater
for 25 years



SANITARYWARE
page n. 14



SHOWERS
page n. 22



BATHROOM FURNITURE
PAGE N. 34



ACCESSORIES
page n. 38



PORCELANOSA

GROUP SYNERGIES



1,000 SALES POINTS



PROJECTS AROUND THE WORLD



AFTER-SALES SERVICE



PRESENT IN 120 COUNTRIES



5000 PROFESSIONALS




QUALITY OF PRODUCTION



OPTIONS FOR SMALL BATHROOMS

THE CHANGE YOU CHOOSE



It's time to relearn, stop, and take notice. Changing our habits - however small - can revolutionise our lifestyle and change the way we interact with the planet: **#TheChangeYouChoose**. Our eco-conscious concept WaterForest came about from us thinking about these changes. The label is shown on all products and solutions that reduce water consumption, CO₂ emissions, and environmental impact. The label facilitates LEED and BREEAM certification for sustainable buildings, achieving water savings of up to 89% in hotel, housing and restaurant developments.



TECHNOLOGY

eco
FLOW
NOKEN ECO-FLOW

eco
AIR
NOKEN ECO-AIR




eco
STOP
NOKEN ECO-STOP

eco
START
NOKEN ECO-START

eco
light
NOKEN ECO-LIGHT

eco
stone
NOKEN ECO-STONE

eco
449 ALL
NOKEN ECO-FLUSH





NOKEN CLEAN TORNADO



NOKEN BRASSWARE



NOKEN CERAMIC

The new Clean Tornado flushing system cleans the toilet bowl completely thanks to its centrifugal effect. The water is forcefully expelled from a hole in the side of the toilet, generating a vortex effect that rotates 360°.



EASY CLEAN

The elimination of the flange ensures greater continuity of the surfaces inside the toilet, thus facilitating cleaning and reducing the use of disinfectants. In addition, its minimalist design is reinforced with a single outlet hole, achieving an even more refined aesthetic.



MORE SILENT

Thanks to its flushing system, noise is even lower, offering a quieter experience without compromising efficiency.



EFFICIENT FLUSH

With this new design, maximum hygiene and cleanliness is achieved in the toilet without splashing and with greater sound reduction.

This technology, with a single outlet, rinses the inside of the entire toilet with great efficiency, guaranteeing uniform cleaning and reaching all corners.



NO SPLASH

Precise water guidance over the surfaces of the toilet bowl, with the right force and vortex movement, results in exceptional splash-free operation.



NOKEN SAFE STOP



NOKEN MAXIMUM CHROME



NOKEN THERMOTRUST



NOKEN TRI-CONTROL



NOKEN ENERGY



NOKEN HEAT PROTECT



NOKEN OPTIMUM FLOW



SELECTED RAW MATERIAL



NOKEN ERGONOMIC



COMPACT CERAMICS



NOKEN MUTE SYSTEM



PLANIMETRICS



NOKEN LIFT-UP



CHEMICAL RESISTANT



NOKEN CLEAN RIMLESS



NOKEN EASY CLEAN



NOKEN CLEAN TORNADO

NOKEN CARE SYSTEM

NOKEN ENERGY

NOKEN OPTIMUM FLOW

CARE



CARE+



Method certified by the Baheology Research Institute, a public research institution.



OXYGEN-RICH MICROBUBBLES

The new Noken Care system is a wellness treatment using oxygen microbubbles with amazing skin treatment benefits. It improves our well-being and nightly rest.



Thanks to the enrichment of water with oxygen, we can achieve optimal oxygenation, regeneration and hydration of the skin.



It accelerates the skin's cell metabolism, helping to replace dead cells with new ones.



It activates the production of collagen in our body, which helps reduce wrinkles and illuminates the skin.



It increases serotonin levels, improving our well-being and nightly rest.



FIZZ - HYDROTHERAPY

Hydrotherapy is that part of physical therapy that uses water in any state, form or temperature to relieve discomfort and promote physical well-being.



CHROMOTHERAPY

It stimulates the senses to reset the imbalances generated by the stress of the day to day and/or to promote the most positive moods through the benefits of colour.



Noken Energy is a new type of jet that surrounds you in a soft and pleasant rain that refreshes and revitalises. Each nozzle has five micro- holes (instead of one) that divide the stream into micro droplets. This creates a new shower sensation that is much more relaxing and silent.



Relaxing. Many more micro-drop jets that make the water fall as small and light drops, achieving a much more relaxing and pleasant shower.



More silent. water flows quietly from the nozzles and falls gently on you, producing less noise than a standard shower.



More silent. water flows quietly from the nozzles and falls gently on you, producing less noise than a standard shower.



Easy to clean. Silicone nozzles can be easily cleaned and removing any limescale that may accumulate on them is easy.



Noken Optimum Flow technology ensures optimum performance in low pressure and low flow conditions. Designed to maximise efficiency, it optimises water flow, providing a satisfying showering experience with uniform flow and constant pressure with reduced water consumption, even in low water pressure installations. It operates effectively at low flow rates thanks to advanced engineering that maintains functionality and comfort. This contributes to water savings by promoting sustainability and reducing costs, significantly improving efficiency and the showering experience.



UNIFORM FLOW



CONSTANT PRESSURE



OPTIMUM PERFORMANCE



Finish Studio

“Finish Studio is a meticulously selected AESTHETIC that Noken applies to its products as if they were a blank slate.”

**ARTISTIC
UNIQUE**

With an artistic approach and traditional charm, baths, washbasins and shower trays take on new skins, mimicking other surfaces.

The perfect combination of innovation, meticulously selected materials, and a production process in which we pander to every detail, results in natural coloured, beautifully tactile ceramic pieces with unbeatable resistance.


SANITARYWARE


BASINS


BRASSWARE


SHOWER TRAYS


BATHS


ACCESSORIES


TOWEL WARMERS

I-SMART TOILETS



Aesthetics and technology come together in our ever-evolving toilets.

Users take control with Noken Smart Toilets. These solutions offer endless functions depending on the model, such as temperature control, different washing zones, drying, lighting and odour removal, among other features.

The toilets offer improved personal hygiene and comfort thanks to the various programmes, for a fresh and natural user experience.

I-SMART



WASHING



NOKEN ODOR
CONTROL



TEMPERATURE



DESCALING



DRY



SELF-OPENING/
CLOSING



AUTO-FLUSH
DOWNLOAD



MASSAGE



NIGHT LIGHT



HEATED SEAT

clean
tornado

NOKEN CLEAN
TORNADO



PLASMA
FUNCTION



FOOT APPROACH
SENSOR

I-SMART KITCHEN



Round i-Smart transforms the kitchen into a healthier, more efficient and elegant space. A single sink mixer, four types of filtered water (natural, ultra-

cold, boiling and sparkling) with a careful design and integrated technology to simplify your daily life.



NATURAL WATER

To enjoy pure and healthy water straight from the mixer.



SPARKLING WATER

Add bubbles to your favourite drinks, straight from the mixer.



ULTRA-COLD WATER

Perfect for instant refreshment at any time.



BOILING WATER

Ideal for preparing coffee or tea safely, thanks to the system that prevents scalding. Hot water temperature configurable from the CPU between 60 and 98 °C.



PACK I-COMFORT LINE

100383942



I-COMFORT LINE
Wall hung pan set with electronic seat and cover. Functions: soft-close, heated seat with adjustable temperature, multimode bidet function, adjustable temperature dryer, deodorizer, plasma sterilization system, descaling system and night light. Remote control and batteries included.

white 100373848



I-COMFORT LINE
Concealed frame with cistern, reduced thickness, for wall hung pan with electronic seat i-Comfort. For installation in light wall. Includes fixings kit and connections for water inlet and electric supply for the WC.

100373838



I-COMFORT LINE RONDO
RONDO - i-Comfort double flush button

chrome 100289917



PACK LOUNGE WHITE100317349



LOUNGE
"Rimless" Wall hung pan. Includes the fixings kit 100258251.

white100311255



LOUNGE
Soft-close seat and cover

white100283412



SMART LINE
Concealed cistern with frame for wall hung pan. Installation in light wall. Includes the fixings kit and connection pipes for the WC. ECO Dual flush (4,5/3lts)

100159557



SMART LINE OVAL
OVAL - Smart line double flush button

chrome100104502

PACK LOUNGE MATT WHITE100317382



LOUNGE
"Rimless" Wall hung pan. Includes the fixings kit 100258251

matt white100311305



LOUNGE
Soft-close seat and cover

matt white100313077



SMART LINE
Concealed cistern with frame for wall hung pan. Installation in light wall. Includes the fixings kit and connection pipes for the WC. ECO Dual flush (4,5/3lts)

100159557



SMART LINE OVAL
OVAL - Smart line double flush button

chrome100104502

PACK LOUNGE MATT BLACK100367761



LOUNGE
"Rimless" Wall hung pan. Includes the fixings kit 100258251

matt black100311324



LOUNGE
Soft-close seat and cover

matt black100313093



SMART LINE
Concealed cistern with frame for wall hung pan. Installation in light wall. Includes the fixings kit and connection pipes for the WC. ECO Dual flush (4,5/3lts)

100159557



TONO
TONO - Double flush button

matt black100367341



PACK ARQUITECT WHITE 100334471



ARQUITECT
"Rimless" Wall hung pan. Includes the fixings kit 100335143.
● white 100328472



ARQUITECT
Soft-close seat and cover
● white 100328614



SMART LINE
Concealed cistern with frame for wall hung pan. Installation in light wall. Includes the fixings kit and connection pipes for the WC. ECO Dual flush (4,5/3lts)
100159557



SMART LINE RONDO
RONDO - Smart line double flush button
● chrome 100104504

PACK ARQUITECT MATT WHITE 100368819



ARQUITECT
"Rimless" Wall hung pan. Includes the fixings kit 100335143.
● matt white 100347802



ARQUITECT
Soft-close seat and cover
● matt white 100347804



SMART LINE
Concealed cistern with frame for wall hung pan. Installation in light wall. Includes the fixings kit and connection pipes for the WC. ECO Dual flush (4,5/3lts)
100159557



TONO
TONO - Double flush button
● brushed stainless steel 100188383

PACK ARQUITECT MATT BLACK 100385981



ARQUITECT
"Rimless" Wall hung pan. Includes the fixings kit 100335143.
● matt black 100368844



ARQUITECT ASIENITO
Soft-close seat and cover
● matt black 100368920



SMART LINE
Concealed cistern with frame for wall hung pan. Installation in light wall. Includes the fixings kit and connection pipes for the WC. ECO Dual flush (4,5/3lts)
100159557



SMART LINE OVAL
OVAL - Smart line double flush button
● matt black 100104503



PACK URBAN C WHITE

100367762



URBAN C

Wall hung pan rimless, includes fixings kit

white

100348617



URBAN C

Soft-close seat and cover

white

100351886



SMART LINE

Concealed cistern with frame for wall hung pan. Installation in light wall. Includes the fixings kit and connection pipes for the WC. ECO Dual flush (4,5/3lts)

100159557



SMART LINE RONDO

RONDO - Smart line double flush button

chrome

100104504

PACK MARNE WHITE

100367763



MARNE

"Tornado" Wall hung pan 51 cm. Includes the fixings kit

white

100357112



MARNE

Soft-close seat and cover

white

100357115



CONTRACT LINE

Concealed cistern with frame for wall hung pan. Installation in light wall. Includes the fixings kit and connection pipes for the WC. ECO Dual flush (4,5/3lts)

100325878



CONTRACT LINE

ECLIPSE - Contracts line double flush button

chrome

100326928



SHOWERS

PACK SQUARE CHROME SINGLE LEVER100351389



NEPTUNE

30 cm. rain shower head, with ball joint. Flow rate 16 l/min. at 3 bar.

chrome100090329



SQUARE

Square 40 cm shower head arm, wall connection

chrome100090332



SQUARE

Single lever concealed bath shower mixer trim kit

chrome100266786



PROJECT

PROJECT LINE - Concealed bath shower valve with Ø35 mm ceramic cartridge, automatic diverter and 1/2" connectors. Flow rate at 3 bar: 20 l/min bath, 18 l/min shower.

100107958



COTA

COTA - Wall bracket with outlet elbow

chrome100038631



COTA

Single function handshower. Flow rate 11,8 l/min. at 3 bar.

chrome100038634



BASIC

150 cm. Flexi shower hose twist free

chrome100137846

PACK SQUARE MATT BLACK SINGLE LEVER100337025



NEPTUNE

30 cm. rain shower head, with ball joint. Flow rate 16 l/min. at 3 bar.

matt black100213281



SQUARE

Square 40 cm shower head arm, wall connection

matt black100327497



SQUARE

Single lever concealed bath shower mixer trim kit

matt black100266788



PROJECT

PROJECT LINE - Concealed bath shower valve with Ø35 mm ceramic cartridge, automatic diverter and 1/2" connectors. Flow rate at 3 bar: 20 l/min bath, 18 l/min shower.

100107958



COTA

COTA - Wall bracket with outlet elbow

matt black100213290



COTA

Single function handshower. Flow rate 11,8 l/min. at 3 bar.

matt black100213273



BASIC

150 cm. Flexi shower hose PVC coated

matt black100362457

SHOWERS

PACK SQUARE BRUSHED COPPER SINGLE LEVER100301169



NEPTUNE

30 cm. rain shower head, with ball joint. Flow rate 16 l/min. at 3 bar.

brushed copper100281797



SQUARE

Square 40 cm shower head arm, wall connection

brushed copper100281804



LOUNGE

Single lever concealed bath shower mixer trim kit

brushed copper100281149



PROJECT

PROJECT LINE - Concealed bath shower valve with Ø35 mm ceramic cartridge, automatic diverter and 1/2" connectors. Flow rate at 3 bar: 20 l/min bath, 18 l/min shower.

100107958



COTA

COTA - Wall bracket with outlet elbow

brushed copper100281806



COTA

Single function handshower. Flow rate 11,8 l/min. at 3 bar.

brushed copper100281778



COMPLEMENTOS

150 cm. Flexi shower hose PVC coated

brushed copper100280735

PACK SQUARE BRUSHED TITANIUM SINGLE LEVER100337027



NEPTUNE

30 cm. rain shower head, with ball joint. Flow rate 16 l/min. at 3 bar.

brushed titanium100280743



SQUARE

Square 40 cm shower head arm, wall connection

brushed titanium100280734



LOUNGE

Single lever concealed bath shower mixer trim kit

brushed titanium100281140



PROJECT

PROJECT LINE - Concealed bath shower valve with Ø35 mm ceramic cartridge, automatic diverter and 1/2" connectors. Flow rate at 3 bar: 20 l/min bath, 18 l/min shower.

100107958



COTA

COTA - Wall bracket with outlet elbow

brushed titanium100280696



COTA

Single function handshower. Flow rate 11,8 l/min. at 3 bar.

brushed titanium100280812



BASIC

150 cm. Flexi shower hose PVC coated

brushed titanium100281024



SHOWERS

PACK RONDO CHROME SINGLE LEVER100351390



NEPTUNE
30 cm. rain shower head, with ball joint.
Flow rate 16 l/min. at 3 bar.

chrome100090796



RONDO
Rondo 40 cm shower head arm, wall connection

chrome100039088



RONDO
Single lever concealed bath shower mixer trim kit

chrome100345120



PROJECT
PROJECT LINE - Concealed bath shower valve with Ø35 mm ceramic cartridge, automatic diverter and 1/2" connectors. Flow rate at 3 bar: 20 l/min bath, 18 l/min shower.

100107958



MINIMAL
MINIMAL - Wall bracket with outlet elbow

chrome100039121



MINIMAL
MINIMAL - Single function handshower . Flow rate 13,26 l/min. at 3 bar.

chrome100040325



BASIC
150 cm. Flexi shower hose twist free

chrome100137846

PACK RONDO MATT BLACK SINGLE LEVER100301117



NEPTUNE
30 cm. rain shower head, with ball joint. Flow rate 16 l/min. at 3 bar.

matt black100213249



RONDO
Rondo 40 cm shower head arm, wall connection

matt black100213248



RONDO
Single lever concealed bath shower mixer trim kit

matt black100345121



PROJECT
PROJECT LINE - Concealed bath shower valve with Ø35 mm ceramic cartridge, automatic diverter and 1/2" connectors. Flow rate at 3 bar: 20 l/min bath, 18 l/min shower.

100107958



MINIMAL
MINIMAL - Wall bracket with outlet elbow

matt black100213266



MINIMAL
MINIMAL - Single function handshower . Flow rate 13,26 l/min. at 3 bar.

matt black100213256



BASIC
150 cm. Flexi shower hose PVC coated

matt black100362457

SHOWERS

PACK RONDO GOLD SINGLE LEVER100337026



LIGNAGE
30 cm. rain shower head, with ball joint. Flow rate 16 l/min. at 3 bar.

gold100238749



RONDO
Rondo 40 cm shower head arm, wall connection

gold100327522



RONDO
Single lever concealed bath shower mixer trim kit

gold100345122



PROJECT
PROJECT LINE - Concealed bath shower valve with Ø35 mm ceramic cartridge, automatic diverter and 1/2" connectors. Flow rate at 3 bar: 20 l/min bath, 18 l/min shower.

100107958



LIGNAGE
LIGNAGE - Wall bracket with outlet elbow

gold100238776



MINIMAL
MINIMAL - Single function handshower . Flow rate 13,26 l/min. at 3 bar.

gold100330758



BASIC
150 cm. Flexi shower hose twist free

gold100137872

PACK RONDO BRUSHED GOLD SINGLE LEVER100337042



LIGNAGE
30 cm. rain shower head, with ball joint. Flow rate 16 l/min. at 3 bar.

brushed gold100299345



RONDO
Rondo 40 cm shower head arm, wall connection

brushed gold100327505



RONDO
Single lever concealed bath shower mixer trim kit

brushed gold100345125



PROJECT
PROJECT LINE - Concealed bath shower valve with Ø35 mm ceramic cartridge, automatic diverter and 1/2" connectors. Flow rate at 3 bar: 20 l/min bath, 18 l/min shower.

100107958



LIGNAGE
LIGNAGE - Wall bracket with outlet elbow

brushed gold100299401



MINIMAL
MINIMAL - Single function handshower . Flow rate 13,26 l/min. at 3 bar.

brushed gold100330776



COMPLEMENTOS
150 cm. Flexi shower hose PVC coated

brushed gold100299356

SHOWERS

PACK RONDO BRUSHED COPPER SINGLE LEVER100337037



NEPTUNE
30 cm. rain shower head, with ball joint.
Flow rate 16 l/min. at 3 bar.

brushed copper100280685



RONDO
Rondo 40 cm shower head arm, wall connection

brushed copper100280741



RONDO
Single lever concealed bath shower mixer trim kit

brushed copper100345126



PROJECT
PROJECT LINE - Concealed bath shower valve with Ø35 mm ceramic cartridge, automatic diverter and 1/2" connectors. Flow rate at 3 bar: 20 l/min bath, 18 l/min shower.

100107958



MINIMAL
MINIMAL - Wall bracket with outlet elbow

brushed copper100280783



MINIMAL
MINIMAL - Single function handshower . Flow rate 13,26 l/min. at 3 bar.

brushed copper100280868



COMPLEMENTOS
150 cm. Flexi shower hose PVC coated

brushed copper100280735

PACK RONDO BRUSHED TITANIUM SINGLE LEVER100301168



NEPTUNE
30 cm. rain shower head, with ball joint.
Flow rate 16 l/min. at 3 bar.

brushed titanium100281820



RONDO
Rondo 40 cm shower head arm, wall connection

brushed titanium100281803



RONDO
Single lever concealed bath shower mixer trim kit

brushed titanium100345127



PROJECT
PROJECT LINE - Concealed bath shower valve with Ø35 mm ceramic cartridge, automatic diverter and 1/2" connectors. Flow rate at 3 bar: 20 l/min bath, 18 l/min shower.

100107958



MINIMAL
MINIMAL - Wall bracket with outlet elbow

brushed titanium100281788



MINIMAL
MINIMAL - Single function handshower . Flow rate 13,26 l/min. at 3 bar.

brushed titanium100281779



BASIC
150 cm. Flexi shower hose PVC coated

brushed titanium100281024

SHOWERS

PACK RONDO BRUSHED BRASS SINGLE LEVER100383943



RONDO
30 cm. rain shower head, with ball joint.
Flow rate 16 l/min. at 3 bar.

brushed brass100368231



RONDO
Rondo 40 cm shower head arm, wall connection

brushed brass100368239



RONDO
Single lever concealed bath shower mixer trim kit

brushed brass100367913



PROJECT
PROJECT LINE - Concealed bath shower valve with Ø35 mm ceramic cartridge, automatic diverter and 1/2" connectors. Flow rate at 3 bar: 20 l/min bath, 18 l/min shower.

100107958



MINIMAL
MINIMAL - Wall bracket with outlet elbow

brushed brass100368263



MINIMAL
MINIMAL - Single function handshower . Flow rate 13,26 l/min. at 3 bar.

brushed brass100368284



ROUND
150 cm. Flexi shower hose PVC coated

brushed brass100368265



PACK HOTELS

100369479



ROUND

ROUND. 30 cm. rain shower head, with ball joint. Security valve included. Flow rate 12 l/min. at 3 bar.

polished stainless steel 100251806



RONDO

Rondo 40 cm shower head arm, wall connection

chrome 100039088



HOTELS

Single lever concealed bath shower mixer trim kit

chrome 100123914



PROJECT

PROJECT LINE - Concealed bath shower valve with Ø35 mm ceramic cartridge, automatic diverter and 1/2" connectors. Flow rate at 3 bar: 20 l/min bath, 18 l/min shower.

100107958



HOTELS

HOTELS SHOWER PACK. Includes wall bracket, 1 function handshower 100113767 and flexi hose 100137848

chrome 100356791



LIBERTY

LIBERTY - Shower outlet elbow

chrome 100064216



BATHROOM FURNITURE

PACK MARNE 60CM

100367780



SMART LINE
Ø60cm polished border round mirror.

● mirror 100114695



HOTELS
Single lever basin mixer. Ø25 mm. ceramic cartridge. Connection 3/8". Length of hoses 370 mm."Plus" aerator. Cold-water opening. Flow rate 4,4 l/ min. at 3 bar

● chrome 100283402



MARNE
62 cm. wall hung basin with fixing kit 100041225 with overflow.

● white 100340537



MARNE
Wall hung vanity 60cm. 2 drawers with soft close. Aluminium door handle.

● white 100343931



BASIC
Universal clicker basin waste

● chrome 100291443



BASIC
Bottle trap

● chrome 100039181

PACK MARNE 80CM

100367781



SMART LINE
80x60 cm horizontal mirror with light strip illuminated by leds. Includes defogger system. Class II, IP44, 4000K, 33W (220V).

● mirror 100312589



HOTELS
Single lever basin mixer. Ø25 mm. ceramic cartridge. Connection 3/8". Length of hoses 370 mm."Plus" aerator. Cold-water opening. Flow rate 4,4 l/ min. at 3 bar

● chrome 100283402



MARNE
81 cm wall hung basin with fixing kit 100041225 with overflow.

● white 100340536



MARNE
Wall hung vanity 80cm. 2 drawers with soft close. Aluminium door handle.

● white 100343933



BASIC
Universal clicker basin waste

● chrome 100291443



BASIC
Bottle trap

● chrome 100039181

BATHROOM FURNITURE

PACK MARNE 100CM

100367782



SMART LINE
100x60 cm horizontal mirror with light strip illuminated by leds. Includes defogger system. Class II, IP44, 4000K, 35W (220V).

● mirror 100312612



HOTELS
Single lever basin mixer. Ø25 mm. ceramic cartridge. Connection 3/8". Length of hoses 370 mm."Plus" aerator. Cold-water opening. Flow rate 4,4 l/ min. at 3 bar

● chrome 100283402



MARNE
102 cm wall hung basin with overflow and fixing kit 100041225.

● white 100358673



MARNE
Wall hung vanity 100cm. 2 drawers with soft close. Aluminium door handle.

● white 100359209



BASIC
Universal clicker basin waste

● chrome 100291443



BASIC
Bottle trap

● chrome 100039181

PACK MARNE 120CM

100367783



SMART LINE
120x60 cm horizontal mirror with light strip illuminated by leds. Includes defogger system. Class II, IP44, 4000K, 46W (220V).

● mirror 100312604



HOTELS
Single lever basin mixer. Ø25 mm. ceramic cartridge. Connection 3/8". Length of hoses 370 mm."Plus" aerator. Cold-water opening. Flow rate 4,4 l/ min. at 3 bar

● chrome 100283402



MARNE
121 cm. wall hung basin with fixing kit 100041225 with overflow.

● white 100340535



MARNE
Wall hung vanity 120cm. 4 drawers with soft close. Aluminium door handle.

● white 100343935



BASIC
Universal clicker basin waste

● chrome 100291443



BASIC
Bottle trap

● chrome 100039181



PACK URBAN C CHROME 100141318



URBAN C
Robe hook

chrome 100094131



URBAN C
50 cm towel rail

chrome 100094138



URBAN C
Roll holder with cover

chrome 100094163



URBAN C
Free standing/Wall mounted brush holder

chrome 100123138

PACK URBAN C MATT BLACK 100279778



URBAN C
Robe hook

matt black 100211402



URBAN C
50 cm towel rail

matt black 100211374



URBAN C
Roll holder with cover

matt black 100211405



URBAN C
Free standing/Wall mounted brush holder

matt black 100211377

ACCESSORIES

PACK URBAN C BRUSHED GOLD 100337117



URBAN C
Robe hook

brushed gold 100299338



URBAN C
50 cm towel rail

brushed gold 100299346



URBAN C
Roll holder with cover

brushed gold 100299344



URBAN C
Free standing/Wall mounted brush holder

brushed gold 100299386

PACK URBAN C BRUSHED COPPER 100301241



URBAN C
Robe hook

brushed copper 100289240



URBAN C
50 cm towel rail

brushed copper 100289251



URBAN C
Roll holder with cover

brushed copper 100289262



URBAN C
Free standing/Wall mounted brush holder

brushed copper 100289260

PACK URBAN C BRUSHED TITANIUM 100301167



URBAN C
Robe hook

brushed titanium 100289241



URBAN C
50 cm towel rail

brushed titanium 100289172



URBAN C
Roll holder with cover

brushed titanium 100289272



URBAN C
Free standing/Wall mounted brush holder

brushed titanium 100289261



ACCESSORIES

PACK HOTELS CHROME

100351391



HOTELS
Robe hook

chrome 100102354



HOTELS
60 cm towel rail

chrome 100102358



HOTELS
Roll holder without cover

chrome 100102356



HOTELS
Free standing / wall mounted brush holder

chrome 100103956

PACK HOTELS MATT BLACK

100351392



HOTELS
Robe hook

matt black 100267559



HOTELS
60 cm towel rail

matt black 100267613



HOTELS
Roll holder without cover

matt black 100267612



HOTELS
Free standing / wall mounted brush holder

matt black 100267620

ACCESSORIES

PACK HOTELS BRUSHED GOLD

100351393



HOTELS
Robe hook

brushed gold 100340143



HOTELS
60 cm towel rail

brushed gold 100340410



HOTELS
Roll holder without cover

brushed gold 100340406



HOTELS
Free standing / wall mounted brush holder

brushed gold 100340409

PACK HOTELS BRUSHED COPPER

100351394



HOTELS
Robe hook

brushed copper 100340428



HOTELS
60 cm towel rail

brushed copper 100340448



HOTELS
Roll holder without cover

brushed copper 100340442



HOTELS
Free standing / wall mounted brush holder

brushed copper 100340430

PACK HOTELS BRUSHED TITANIUM

100351395



HOTELS
Robe hook

brushed titanium 100340429



HOTELS
60 cm towel rail

brushed titanium 100340446



HOTELS
Roll holder without cover

brushed titanium 100340443



HOTELS
Free standing / wall mounted brush holder

brushed titanium 100340431

PACK HOTELS BRUSHED BRASS

100383933



HOTELS
Robe hook

brushed brass 100368285



HOTELS
60 cm towel rail

brushed brass 100368287



HOTELS
Roll holder without cover

brushed brass 100368286



HOTELS
Free standing / wall mounted brush holder

brushed brass 100368288



NOKEN DESIGN, S.A.

The content of this catalogue is protected by copyright and the Intellectual Property Law, Royal Legislative Decree 1/1996. Any reproduction thereof, in whole or in part, without the express authorisation of the Noken may be punishable under current legislation, including the Penal Code.

Noken reserves the right to modify or withdraw products from the catalogue without prior notice, as well as to modify their prices and/or characteristics without prior notice.

The room schemes shown in this catalogue are decorative suggestions for advertising purposes only and should not be used as a guide for the installation of the products. For the installation of the products and to consult their technical characteristics, please refer to the technical data sheets found in the PTC published by Noken. Noken is not responsible for assembly and/or installation errors or defects; it is recommended that the installation is carried out by a professional.

Possible changes in shade or colour must be considered an intrinsic part of the production process of certain products, such as ceramic bathroom fixtures, whether in glossy white or matt colours (white, black, grey...). It is important to be aware that variations in shade, saturation and gloss may occur, depending on the material on which the colouring pigment is applied (ceramic, urea formaldehyde) and the production batch, including possible variations between parts of the same item, such as the ceramic fixture, the seat, the lid or both.

Tones of PVD coated taps may also vary depending on production lots.

In addition to the variables of the production process, the perception of the colour shade is also influenced by the conditions of the light source, viewing angle and the psychophysical characteristics of the observer or the medium used for viewing.

